FERERAL [RCRA-TCLP] AND STATE [TITLE 22-STLC, TTLC] HAZARDOUS WASTE CRITERIA

	TCLP	STLC	TTLC	<u> </u>		TLCP	STLC	TTLC
Parameters	mg/l	gm/l	mg/kg		Compound	mg/l	mg/l	mg/kg
Antimony	O,	15	500		2.4-Dichlorophenoxyacetic acid	10.0	10	100
Arsenic	5.0	5.0	500		2,4,5-TP [Silver]	1.0	1.0	10
Barium	100	100	10,000		Organochlorine Pesticides / PCBs [M	ethod: EPA 808	1A]	
Beryllium		0.75	75		Aldrin		0.14	1.4
Chromium	1.0	1.0	100		Chlordane	0.03	0.25	2.5
Chromium	5	5 [560]	2,500		DDT/DDE/DDD		0.1	1.0
Cobalt		80	8,000		Dieldrin		0.8	8.0
Copper		25	2,500		Endrin	0.02	0.02	0.2
Lead	5.0	5.0	1,000		Heplachlor [& its Expoxide]	0.008	0.47	4.7
Mercury	0.2	0.2	20		Kepone		2.1	2.1
Molybdenum		350	3,500		Lindane	0.4	0.4	4.0
Nickel		20	2,000		Melhoxychlor	10.0	10	100
Selenium	1.0	1.0	100		Minex		2.1	21
Silver	5	5	500		Toxaphene	0.5	0.5	5.0
「hallium		7.0	700					
/anadium		24	2,400		Semi-Volatiles [Method: EPA 8270C]			
Zinc		250	5,000		o-Cresol	200.0		
Chromium [VI]		5	500		m-Cresol	200.0		
-luoride Salts		180	18,000		p-Cresol	200.0		
Asbestos			1%		Cresols [Total]	200.0		
Volatiles [Method: EPA 8260	B]				2,4-Dinitrotoluene	0.13		
Benzene	0.5				Hexachlorobenzene	0.13		
Carbon Tetrachloride 0.5					Hexachlorobutadiene	0.5		
Chlorobenzene	100.0				Hexachloroethane	3.0		
Chloroform	6.0				Nitrobenzene	2.0		
.,4-Dichlorobenzene 7.5					Pentachlorophenol	100.0	1.7	17
.,2-Dichloroethane	0.5				Pyridine	5.0		
,1-Dichloroethylene 0.7					2,4,5-Trichlorophenol	400.0		
Methyl Ethyl Ketone [MEK]	200.0				2,4,6-Trichlorophenol	2.0		
Tetrachloroethylene [PCE]	0.7				Miscellaneous [Methods: EPA 8280*	, CADHS-LUFT/7	420**]	
richloroethylene [TCE]		0.5	204	2,040	Dioxin [2,3,8,8-TCDD]*		0.001	0.01
/inyl Chloride	0.2				Organic Lead Compounds**			13
*Values expressed as wet weight		*Excluding barium sulfate			See Sec 22-66261.27 [a].[7] for Additi	onal Toxicity Co	mpound/Crit	eria.
					Title [26] 22 Toxicity Criteria Section 22-66261.24			

				Title [26] 22 Toxicity Criteria Section 22-66261.24
	Ignitability	<u>Matrix</u>	Method	<u>Criteria</u>
	[40 CFR 261.21]	Liquid	ASATM D-93	Exhibits the characteristic of ignitability: If it is a liquid , and has a flash point <60°C [140°F]. Aqueous solutions
	[T22: 22-66261.21]			containing >24% alcohol by volume are considered ignitable and do not require flash point testing.
	-	Solid		Exhibits the characteristics of ignitability: If it is not a liquid and is capable, under standard temperature and
S				pressure, of causing fire through friction, adsorption of moisture or spontaneous chemical changes and, when
CHARACTERISTICS	Composituites			ignited, burns so vigorously and persistently that it creates a hazard.
SIS:	Corrosivity	Liquid	EPA 9040	Exhibits the characteristics of corrosivity if it is aqueous and has a pH ≤ 2 or ≥ 12.5 [Sec 260.20 and 260.21]
臣	[40 CFR 261.22]		EPA 1110, NACE	If it corrodes steel [SAE 1020] at rate > 6.35 mm or 0.250 in. per year at a test temperature of 55°C [130°F]
AC	[T22:22-66261.23]	Solid	EPA 9045	If is not aqueous and , when mixed with an equivalent weight of water, produces a solution having a pl ≥ 2 or
AR				≥12.5
2	Reactivity		SW846, Chapter 7	Exhibits the characteristics of reactivity: If the waste has any of the following properties:
•	[40 CFR 261.22]			1.It is normally unstable and readily undergoes violent change without detonating.
ш	[T22:22-66261.23]			2.lt reacts violently with water
WASTE	[122:22-00201:23]			3.It forms potentially explosive mixtures with water
Š				4. When mixed with water, it generates toxic gases, vapors, or fumes in a quantity sufficient to present a danger
				to human health or environment.
_				5.It is a cyanide or sulfide bearing waste which, when exposed to pH conditions between 2 and 12.5 can
HAZARDOUS				generate toxic gases, vapors or fumes in a quantity sufficient to present a danger to human health or the environment.
ARI			Sec. 7.3.3.	The current EPA guidance level is: Total releasable cyanide: 250 mg HCN/kg waste.
AZ				The current EPA guidance level is: Total releasable sulfide: 500 mg H₂S/kg waste.
I				6.It is readily capable of detonation or explosive reaction if it is a subjected to a strong initiating source or if
				heated under confinement.
				7.It is readily capable of detonation or explosive decomposition or reaction at standard temperature and pressure.
				8.It is a forbidden explosive, as defined in 49 CFR 173.51 or a class A or B explosive, as defined in 49 CFR
				173.53 and 173.88

Toxicity Fish {Title 26 sec 66261.24[6]} SMWW 18th Ed. A waste, or material is toxic and hazardous if[6] has an acute aquatic 96-Hour LC50 less than 500mb/L.